Color and Material Schedule

Project Address: 891 Arkwright

Contractor:

	Location	Description	Manufacturer	Finish	Color	Notes
Lighting						in store/online
	Second Floor Hall, MB Closet, Kitchen at stair to basement. (3)	Flushmount Ceiling 1 light	Progress Lighting, Madison # P3311-09		Brushed Nickel	Home Depot
	Bedrooms, Mudroom (3)	Flushmount Ceiling 2 light	Progress Lighting, Madison # P3312-09		Brushed Nickel	Home Depot
	Powder Room	2-Light Vanity	Progress Lighting, Madison P3162-09		Brushed Nickel	Home Depot
	Bathroom	4 Light Vanity	Progress Lighting, Madison P3164-09		Brushed Nickel	Home Depot
	Kitchen, Mudroom at washer/dryer (3)	Pendant	Progress Lighting, Madison P5078-09		Brushed Nickel	Home Depot
	Kitchen	Flushmount Ceiling 2 light	Progress Lighting, Madison # P3312-09		Brushed Nickel	Home Depot
	Kitchen	Under Cabinet lighting (2)	Juno Pro Series 14" # ULH214-WH		White	Home Depot
	Dining Room	5 Light Chandelier	Progress Lighting, Madison P4281-09		Brushed Nickel	Home Depot
	Front Foyer, 2nd floor Stair landing (2)	Mini Chandelier	Progress Lighting, Madison P3793-09		Brushed Nickel	Home Depot
	Garage Service Door, Rear Entry	1- Light Wall Lantern	Design House # 519504		Oil Rubbed Bronze	Home Depot
	Front Entry	1 - Light Wall Lantern	World Imports # W19002S89		Bronze	Home Depot
	Above Garage Door	Motion Detector	DualBrite 300 watt : Model SL-5318-WH-D			at Menard's
	Garage Lighting	Contractor Provided to Code				
	2nd Floor Bathroom Fan (1)	Panasonic Whisper Quiet with Light and Humidistat	www.panasonic.com/ventfans			Online
	1st Floor Bathroom Fan	Panasonic Whisper Quiet	www.panasonic.com/ventfans			Online
	Basement Lighting	Contractor Provided to Code				
	Outlet and Switch plate Covers				White	
Plumbing Fixtures	Kitchen	Kitchen Faucet	Moen, Model: NA87004		Nickel	at Menards
	Kitchen	Kitchen Sink	Franke 33x22x9" Model: DFD901BX		Stainless	Special Order at Menard's
	Bath and Powder Rooms (2)	Bathroom Faucets	Moen, High Arc NA84003		Nickel	at Menards
	Bathroom 2	Recessed Oval Bowl Vanity Top	Imperial Marble		White	at Menards
	Bathroom	Shower	Moen Traditional Posi-Temp Model: 82008		Nickel	at Menards
	Powder Room	Pedestal Sink	To be determined - $250 allowance		White	at Menards
vork and Furnishings	Kitchen	Kitchen Cabinets	Schrock Select "Portage Square"	See Plan	Alpine White	Maple cabinet
	Kitchen	Kitchen Cabinet Hardware	Schrock "True Traditional" knob		Nickel	Menards/Home Depot
	Kitchen	Kitchen Counter Top	WilsonArt/Formica		to be determined	at Menards
	2nd Floor Bath	Bathroom Vanity	Schrock Select "Portage Square"		Alpine White	ar Menards
	Bathroom	Beveled Edge Mirrors	as per Construction Manager: width to fit wall space			
	Bathroom	Water Closet Cabinet	To be determined		White	at Menards/Home Depot
	Bathroom	Towel Ring	Sage Series Model: DN6886		Nickel	at Menards
	Bathroom	Towel Bar	Sage Series Model: DN6818		Nickel	at Menards
	Bathroom	Toilet Paper Holder	Sage Series Model: DN6808		Nickel	at Menards
	Bathroom	Curved Shower Rod	Moen Adjustable Model: DN2160		Chrome	at Menards

Casev						
	Mudroom	Wall Hooks	Liberty Flared Tri-Hook # B42305Z-FB-C	Flat	Black	Home Depot
	Front of House	House Numbers	Schlage 4" Classic # 580515		Aged Bronze	Home Depot
	Garage Side of house	House Numbers	Hillman Classic 4" Plastic		Black	Home Depot
	Front of House	Mailbox	Gibralter Designer Vert. Locking - silver emblem		Black	Home Depot/Menard's
Interior Finishes	Walls Throughout	Wall Paint	Sherwin Williams	eggshell	to be determined	
	Walls Kitchen	Wall Paint	Sherwin Williams No VOC	eggshell	to be determined	
	Walls Bathroom	Wall Paint	Sherwin Williams No VOC	eggshell	to be determined	
	Walls Bathroom	tile	Dal-Tile 2 x 6" subway tile	high gloss	White	
	Ceilings Throughout (except kitchen and bathroom)	Ceiling Paint	Sherwin Williams No VOC	eggshell	Ceiling White	Knock Down Finish
	Ceiling Kitchen and Bath	Ceiling Paint	Sherwin Williams No VOC	semi-gloss	High Reflectance White	Smooth Finish
	Trim/Doors Throughout	Trim	Sherwin Williams No VOC	semi-gloss	to be determined	
	New stair treads	Floor	Alkyd Floor Enamel	semi-gloss	to be determined	
Flooring	LR, DR, Halls, Bedrooms, Stairs	Refinished Wood	as per spec		clear	
	2nd Floor Bath	Tile	Dal-Tile "penny" or hexagonal unglazed porcelain	flat	White	Special order
	Rear Entry/Mudroom/Half Bath	Click Floating Floor	Forbo Marmoleum Click		to be determined	Seestedt's
Appliances	Kitchen	Range	Frigidaire 30" Gas Rang FFGF3053LS		white	
	Kitchen	Micro hood	FFMV16LS Vented to Exterior		white	
	Kitchen	Refrigerator	Energy STAR, 30" wide FFHT21261LS/K		white	
	Kitchen	Dishwasher	Energy STAR, 24" Frigidaire FGHD2433KF		white	
	Rear Entry	Washer	Energy STAR, FAFW380ILW		white	
	Rear Entry	Dryer	Gas FAQG700ILW		white	
Doors	Front Entry	Insulated Fiberglass	Therma-Tru Smooth Star 2 Panel 3/4 Light		rain glass	at Lowes - Order
	Rear Entry to deck	Insulated Fiberglass	Therma-Tru Smooth Star 2 Panel 1/2 Light			at Lowes - Order
	Garage Service Door	Insulated Steel	Craftsman 3 Panel One Light		Factory Finish TBD	
	Door from Basement to Garage	Fire Rated	TBD			
	Interior doors	Wood (pine)	Mastercraft Custom 4 Panel		pre-primed white	at Menard's - order
	Door Hardware	Interior Doors	Schlage Georgian knobs		oil-rubbed bronze	at Menard's
	Door Hardware - Exterior	Main Entry	Schlage Camelot with interior Georgian knob		oil-rubbed bronze	at Menard's
	Door Hardware - Exterior	Garage, Kitchen and Rear Entry	Schlage Georgian knobs		oil-rubbed bronze	at Menard's
Exterior Finishes	Roof		GAF Elk 30 year HD shingle		Weathered Wood	City
	Soffit and Fascia Panels	Aluminum	as per spec		to be determined	
	House Siding	Hardi Lap Siding	Sherwin Williams Low/No VOC	flat	to be determined	
	Garage	Concrete	Sherwin Williams Masonry Paint			
	House/Garage Trim	Hardi	Sherwin Williams Low/No VOC	semi gloss	to be determined	
	Entry Doors/Garage Door	Metal or Fiberglass	Sherwin Williams alkyd enamel	semi gloss	to be determined	
	Cedar Decking	Opaque Stain	Sherwin Williams		to be determined	
	Deck	Cedar Posts & Railings -Paint	Sherwin Williams			
	Gutters and Downspouts				to be determined	at United Products

SECTION 08 1100

EXTERIOR INSULATED METAL DOORS AND FRAMES

PART 1 GENERAL **$_____**

PART 2 PRODUCTS

2.01 INSULATED EXTERIOR PREHUNG METAL DOOR

A. Between basement and garage:
   1. Product: 20 minute smoke and draft door assembly
   2. Product and style to be determined by Construction Manager

B. Garage Service Door:
   1. Product: Craftsman Style 3 Panel One Light

2.02 ALUMINUM STORM DOORS

A. Front Door
   1. Product: Larson "Meadowview" Screen Away 3/4 light

B. Rear Door at deck
   1. Product: Larson "Meadowview" Screen Away 1/2 light

C. Finish: smooth

D. Color: To be selected by Construction Manager from full range.

2.03 ACCESSORIES

A. DOOR HARDWARE: Door hardware finish to be Aged Bronze
   1. Front Entry Handleset: Schlage “Addison”, “Georgian” style knob at interior
   2. Rear Entry and Garage Service Door
      a. Schlage “Georgian” knobs and single key/lever deadbolts Rubbed Bronze
   3. All doors shall have stops.
   4. Hinges: oil rubbed bronze

PART 3 EXECUTION

3.01 EXAMINATION

A. Examine doors and installed door frames before hanging doors.
   1. Verify that frames comply with indicated requirements for type, size, location, and swing characteristics and have been installed with level heads and plumb jambs.
   2. Reject doors with defects

B. Proceed with installation only after unsatisfactory conditions have been corrected.

3.02 INSTALLATION

A. Install in accordance with manufacturer's instructions.

B. Use a low expanding foam to insulate between the door frame and the rough opening.

C. Set units plumb, level, and true-to-line, without warping or racking doors, and with specified clearances; anchor in place.

D. Align and fit doors in frames with uniform clearances set by manufacturer.

E. Seal edges of doors, edges of cutouts, and mortises after fitting and machining

3.03 SYSTEMS INTEGRATION

A. Coordinate with low-voltage security contractor to install contacts in door.

3.04 ADJUSTING

A. Adjust Doors for smooth operation.

B. Operation: Rehang or replace doors that do not swing or operate freely.

3.05 LOCATIONS

A. Front Entrance - Storm

B. Rear Entrance - Storm
C. Basement - Door to Garage
D. Garage Service door

END OF SECTION

SECTION 08 1613

FIBERGLASS DOORS

PART 1 GENERAL **$ _____**

PART 2 PRODUCTS

2.01 DOOR AND FRAME ASSEMBLIES

A. Door and Frame Assemblies: Factory-fabricated, prepared and machined for hardware.
   1. Door and frame pre-assembled , complete with hinges; shipped with braces, spreaders, and packaging as required to prevent damage.
   2. Therma-tru Smooth Star (see attachment)
   3. Energy Star Rated
   4. 3/4 Light Front
   5. 1/2 Light Rear to deck
   6. 2 Panel Style
   7. HARDWARE
      a. Schlage “Latitude” Locking Door Levers in aged bronze.
      b. Include matching deadbolt both doors.
      c. Door Hinges, locks, stops, etc. to be aged bronze.
   8. GLAZING
      a. Front Entry: Rainglass
      b. Rear Entry: Clear
      c. Energy Star Rated
   9. Mechanical Durability: Tested to ANSI A250.4 Level A (1,000,000 cycles), minimum; tested with hardware and fasteners intended for use on project.
   10. Screw-Holding Capacity: Tested to 900 psi, minimum.
   11. Flammability: Self-extinguishing when tested in accordance with ASTM D635.

PART 3 EXECUTION

3.01 INSTALLATION

A. Install in accordance with manufacturer's instructions; do not penetrate frames with anchors.

B. Styles in Colors and Selection Form

C. Set units plumb, level, and true-to-line, without warping or racking doors, and with specified clearances; anchor in place.

END OF SECTION

Your Store:
W St Paul, MN

You're shopping a store in: West St Paul, MN
1795 Robert Street

We use your store location to provide current pricing and inventory. It'll also be the location for in-store pickups.

FREE
Store Pickup
Your order can be available for pickup in **Lowe's Of W St Paul, MN** today.

Lowe's Truck Delivery
Your order will be ready for delivery to you from your selected store.

Parcel Shipping
Unavailable for This Order
Sent by carriers like UPS, FedEx, USPS, etc.

ReliaBilt 36-in x 80-in Inswing Steel Door **$198.00**



ReliaBilt 36-in x 80-in Inswing Steel Door

Item #: 369904 | Model #: LO369904

Be the first to

$198.00

Do you have a question about this product?

Lowes has 3 version of this door + this will work. I could not find the door the owner/designer had on the plans

Description

36-in x 80-in Inswing Steel Door

- Distinctive craftsman look completes the craftsman motif
- Composite sill cap offers a thermal break which is ideal for cold weather areas
- Security plate on deadbolt bore included for added security
- Minimal packaging reduces jobsite waste
- Polyurethane core has sound-deadening capabilities

Specifications

Glass Style	Clear	Construction	Other
Glass Caming	No	Glass Insulation	Dual Pane Insulated Glass
Glass Insert Shape/Style	Craftsman		
Brickmould	Yes		
Door Swing	Inswing	Lockset Option	Ready for lockset and deadbolt
Jamb Width (Inches)	4.563		
Door Width (Inches)	36.0		
Door Height (Inches)	80.0		
Lockset Bore	Yes	Look and feel of real woodgrain	No
Collection Name	Craftsman commodity	Fire Resistant	No
		Lowe's Exclusive	No
Prefinished	No	Blinds Between the Glass	No
Primed	Yes	Optional Additions Available	None
Paintable	Yes	ENERGY STAR Qualified Northern Zone	Yes !
		ENERGY STAR Qualified North/Central Zone	Yes
		ENERGY STAR Qualified South/Central Zone	Yes
		ENERGY STAR Qualified Southern Zone	Yes

© 2012 Lowe's. All rights reserved. Lowe's and the gable design are registered trademarks of LF, LLC