



Saint Paul Heritage Preservation Commission
Department of Planning and Economic Development
25 Fourth Street West, Suite 1400
Saint Paul, MN 55102

Phone: (651) 266-9078

HERITAGE PRESERVATION COMMISSION DESIGN REVIEW APPLICATION

This application must be completed in addition to the appropriate city permit application if the affected property is an individually designated landmark or located within an historic district. For applications that must be reviewed by the Heritage Preservation Commission refer to the HPC Meeting schedule for meeting dates and deadlines.

1. CATEGORY	
Please check the category that best describes the proposed work. □ Repair/Rehabilitation □ Sign/Awning □ New Construction/Addition/ □ Moving □ Fence/Retaining Wall □ Other □ Other □ Pre-Application Review Only	
2. PROJECT ADDRESS	
Street and number: 1890 Summit Ave. Zip Code: 55105	
3. APPLICANT INFORMATION	
Name of contact person: Bill Marzolf	
Company:	
Street and number: 1890 Summit AVE.	
City: St. Paul State: MN Zip Code: 55105	
Phone number: (6/2) 701-2465 e-mail: Bill Marzolf@Concast.	NET
4. PROPERTY OWNER(S) INFORMATION (If different from applicant)	
Name: SAM€	
Street and number:	* . *
City: State: Zip Code:	
Phone number: () e-mail:	8 2

5. PROJECT ARCHITECT	(If applicable)	* * * * * * * * * * * * * * * * * * * *
Contact person:		
Company:		· · · · · · · · · · · · · · · · · · ·
Street and number:		
City:	State:	Zip Code:
6. PROJECT DESCRIPTION		
eatures, if applicable, includir ——	ng color and material san	doors, windows, lighting and other nples.
1) Remone Existic		
2). Build New 3 stall 3) PARKING STALL -	EAST SIDE	•
A) REMOUS & REPLACE	E zwindows ra	na intouse & Shortenlying
5) INGTACE SHORT 6) REPLACE FRONT	STORM DOOK W	1 single Pane Rull hen st
7) REPLACE Gutters 4	/ K. STyle Gitters	rulte.
8). Re PASH The stuc	co on Main Ha	186.
		Attach additional sheets if necessar
7. ATTACHMENTS	2.7	
	ew Process sheet for requi	ired information or attachments.
	TE APPLICATIONS WIL	
ARE THE NECESSARY	ATTACHMENTS AND	INFORMATION INCLUDED?
	D YES	
Will any federal money be used in Are you applying for the Investm		TES NO TES NO

I, the undersigned, understand that the Design Review Application is limited to the aforementioned work to the affected property. I further understand that any additional exterior work to be done under my ownership must be submitted by application to the St. Paul Heritage Preservation Commission. Any unauthorized work will be removed. Signature of applicant: Date: Date:						
FOR HPC OF	FICE USE ONLY					
TORMEON	TICE OUE OIVER					
Date received: 7.2.14 Date complete:	FILE NO. 14-031					
Pivotal/Contributing/Non-contributing/New Co	onstruction/Parcel:					
Requires staff review	Requires Commission review					
Supporting data: YES NO Complete application: YES NO The following condition(s) must be met in order for application to conform to preservation program:	Submitted: 3 Sets of Plans 15 Sets of Plans reduced to 8 ½" by 11" or 11" by 17" Photographs CD of Plans (pdf) & Photos (jpg) City Permit Application Complete HPC Design Review application Hearing Date set for: 7-24-14					
It has been determined that the work to be performed pursuant to the application does not adversely affect the program for preservation and architectural control of the heritage preservation district or site (Ch.73.06). HPC staff approval	City Permit #					

MARZOLF RESIDENCE

1890 Summit Ave.

St. Paul, MN 55105

612-701-2465

BillMarzolf@Comcast.Net

Heritage Preservation Commission Pre-Application Review 1890 Summit Avenue St. Paul, MN 55105

Scope of the project

Home

- Remove exterior window (aprox 54" x 34") double hung 6 over 1 on south (rear) west corner of building.

 Replace with Marvin 42 3/8" x 45 ½" double hung 6 over 1 trimmed and painted to match existing windows
- Remove exterior window (aprox 54" x 34") double hung 6 over 1 on west (side) south corner of building.
 Replace with Marvin 42 3/8" x 45 ½" double hung 6 over 1 trimmed and painted to match existing windows
- Add wood shutters on front of home with and reproduction of original hinge connection. Match to original, paint black or burnt sienna.
- Replace front combination storm door with new storm door.
- Repair and paint stucco to match original white stucco.

Garage

- Demo existing garage
- Excavate per drawing and install surround retaining wall and stairs.
- Build new three stall garage per drawings. Roof to match existing slope of home. Trim finish to match existing garage. Exterior finish 4" clapboard painted white.
- Add concrete parking pad east of new garage per drawing.

Back yard hardscape

Demo existing concrete patio
 Regrade slope away from home and replace with paver stone patio of a size similar to existing











_

Home Edition



(http://abc.go.com/shows/extreme-makeover-home-edition/episode+http://www.youtube.com/detail/lighthouse-schoolsweatt-family/606315)

YouTube Channel

You

Shingle Features Shingle Colors Photo Gallery (http://www.youtube.com/GAF (/Roofing/Residential/Products/Shingles/Tity/Berblines/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidential/Products/Shingles/Highsidentia

(/Roofing/Residential/Products/Shingles/Timberline/High_Definition/Reviews)

(/Residential_Roofing/Shingles/Timberline_HD_Formerly_Timberline_l/Residential_Roofing/Shingles/Timberline_HD_Formerly_Timberline_l/Residential_Roofing/Shingles/Timberline_HD_Formerly_Timberline_Brestique_30/1
Timberline HD - Shakewood



(/Residential_Roofing/Shingles/Timberline_HD_Formerly_Timberline_L//Residential_Roofing/Shingles/Timberline_HD_Formerly_Timberline_L//Residential_Roofing/Shingles/Timberline_HD_Formerly_Timberline_Prestique_30/1
Timberline HD - Mission Brown

Timberline HD - Pewter Gray



(/Residential_Roofing/Shingles/Timberline_HD_Formerly_Timberline_(Prestique_30/Tibindellas/Standplas/Stan






Stock Doors

Scherer Bros. **Exterior Door Brochure** Supplement January 2013

Steel Edge Doors





Dentil shelves available on Craftsman series doors in 3'-0" and 2'-8"

328

Available as a 20 minute fire rated door


Belleville Smooth Fiberglass Doors






WITH ELEMENT

328



2 PANEL **CAMBER TOP**

Barrington Craftsman Door



3 LITE SDL



Special Reserve Northwoods Prestige Collection

SR-138 # SR-11




Unsurpassed Beauty, Durability and Thermal Efficiency

Nothing says, "Welcome Home," like our Special Reserve Series. With classic beauty, durability and thermal efficiency, your home will be the talk of the town.



Signature quality and innovation since 1966.

Elegantly crafted to complement your home's architectural style.



Classic in style. Innovative in design.

Our Special Reserve Series gives your home an exceptional, classic look. We've taken the timeless beauty of carriage house garage doors and combined it with the latest in design engineering to create a door that will be as durable as it is beautiful.


With six distinctive styles, three classic colors and your choice of windows, you'll be able to create the perfect look to complement your home's architectural style and make it uniquely yours.

What makes the Special Reserve Series a step above the rest is our craftsmanship. Created from our popular TF-138 or TF-II thermal doors, we add a decorative overlay to create a genuine carriage house look. Made of 26-gauge steel, our doors are durable to the core. Insulated to keep your home thermally efficient year round, the unique thermal barrier helps guard against the elements. And, our quality finishing process creates a finished look on the inside as well as the outside using a two-coat polyester paint finish for maximum durability. The result is a maintenance-free door with a classic look that's all your own.


SPECIAL RESERVE

NORTHWOODS PRESTIGE COLLECTION


Customizing your Special Reserve Door is easy...



Select the windows



Select the color




Add decorative hardware, and your door is finished.

Special Reserve Produt Information

Door Details

- 1-3/8" or 2" Insulated Steel Flush Sandwich Door with Decorative Overlay
- · Polystyrene insulation for extra protection from
- FULL PVC thermal break between steel reduces thermal transmission.
- · 26-gauge galvanized steel bonded to EPS foam on both sides
- · Flush wood grain design on substrate face for a natural look
- · White interior steel for a finished look on the inside of your garage
- · Decorative overlay of 5/8" smooth or wood grain cellular "trim plank" board bonded to face of TF-138 or TF-II (trim plank available in white only)
- · Bottom weather-seal included
- 14-gauge hinges for reliable performance
- 12" radius track, standard
- · Torsion spring, standard
- · 10-ball rollers standard
- · 2 coat polyester paint finish
- Operator Prep Installed-Standard




EPDM Bulb-Type


Weatherstrip

Flush wood grain design for

/8" Smooth or wood grain Cellular "Trimplank"




- · Wind Load Certification-in accordance with ASTM-E330 & ANSI/DASMA 108-2002
- Keyed or Slide Lock Set
- Decorative hardware-stamped steel/black powder coated



Note:

- Doors should not be painted darker than sandstone.
- If painting your Special Reserve doors, use a latex paint with a light reflective value of more than 36 and no darker than sandstone. Failure to follow these guidelines may result in significant damage and will void warranty.











Distributed By:





Printed Colors may vary slightly from actual colors. Please visit your local dealer for actual color swatches. As NCDC continuously strives to improve our products, all specifications listed on this brochure are subject to change without notice or obligation.



WWW.NORTHCENTRALDOOR.COM

Request a Brochure

Order Parts

Career Opportunities

America's #1 Selling Storm Door

Find a Dealer in your area. City, State or ZIP GO!

Storm Doors

Storm Windows

Retractable Screens

SecurePRO

LARSON® Experience

Customer Support

Our Product Line Full-View Screen Away® First Impressions™

Ventilating Security

How to Buy Measuring Curb Appeal How to Install Instructions Troubleshooting **Caring for Your Door** Caring For Your Door Request a Brochure Register your Door



< Back to Security Storm Doors

Model 349-17

Secure Elegance®

Available Colors: (click to change)

Standard Sizes:


32 × 81 36 × 81





Ventilation

Factory strengthened KeepSafe Glass® with security shield inner layer and break-in protection



Durability

1-5/8" thick aluminum frame with maintenance-free finish

FAQ (before you buy...)

- Why is this considered a security door?
- · Is the lock different than standard doors?
- · Does this door add energy efficiency?
- Does this door come with a screen?
- Does this door come with screw cover
- · Does this door come with one-way screws?
- Can I get different handle finishes?

Caring for your door (after you buy...)

- How do I clean my door?
- · Can I paint my door?
- · How do I maintain my handle finish?

Read more on caring for your door

Specs and Comparison

TURN OFF HOTSPOTS

MODEL	COLORS	CUSTOM	VENTILATION	HANDLE	WEATHER SEAL	EXPANDER	THICKNESS/FINISH	CLOSER	SCREW CAP COVERS
349-15 Secure Elegance			Factory strengthened KeepSafe Glass® with security shield inner layer and break-in protection	Aged Bronze interior and exterior handle with 3 point locking system for enhanced protection.	Overlapping frame extends over door seam to seal out weather and conceal hinges and gaps. Double weatherstripping for superior protection.	Bottom expander adjusts for uneven sills.	1-5/8" thick aluminum frame with maintenance-free finish	Two-color- matched adjustable speed	1

MODEL	COLORS	CUSTOM	VENTILATION	HANDLE	WEATHER SEAL	EXPANDER	THICKNESS/FINISH	CLOSER	SCREW CAP COVERS
349-17 Secure Elegance			Factory strengthened KeepSafe Glass® with security shield inner layer and break-in protection	Brushed nickel interior and exterior handle with 3 point locking system for enhanced protection.	Overlapping frame extends over door seam to seal out weather and conceal hinges and gaps. Double weatherstripping for superior protection.	Bottom expander adjusts for uneven sills.	1-5/8" thick aluminum frame with maintenance- free finish	Two-color- matched adjustable speed	✓
349-20 Secure Elegance			Factory strengthened KeepSafe Glass® with security shield inner layer and break-in protection	Brass interior and exterior handle with 3 point locking system for enhanced protection.	Overlapping frame extends over door seam to seal out weather and conceal hinges and gaps. Double weatherstripping for superior protection.	Bottom expander adjusts for uneven sills.	1-5/8" thick aluminum frame with maintenance- free finish	Two-color- matched adjustable speed	1
956 MV		4	Self-storing window and Stainless Steel Screen system allow for bottom ventilation.	Brass or Brushed Nickel finish interior and exterior handle with 3 point locking system for enhanced protection.	Overlapping frame extends over door seam to seal out weather and conceal hinges and gaps. Double weatherstripping for superior protection.	Bottom expander adjusts for uneven sills.	1-1/2" thick aluminum frame with maintenance- free finish	Two-color- matched adjustable speed	
349-14			Decorative Double Bevel Full-view glass with an interchangeable screen included for ventilation control	Brushed nickel finish interior and exterior handle with BUILT-IN deadbolt security lock	Overlapping frame extends over door seam to seal out weather and conceal hinges and gaps. Double weatherstripping for superior protection.	Bottom expander adjusts for uneven sills.	1-5/8" thick aluminum frame with maintenance-free finish	Two-color- matched adjustable speed	*
349-04		*	Full-view glass with an interchangeable screen included for ventilation control	Brass interior and exterior handle with BUILT-IN deadbolt security lock.	Overlapping frame extends over door seam to seal out weather and conceal hinges and gaps. Double weatherstripping for superior protection.	Bottom expander adjusts for uneven sills.	1-5/6" thick aluminum frame with maintenance- free finish	Two-color- matched adjustable speed	*
349-13			Decorative Double Bevel Full-view glass with an interchangeable screen included for ventilation control	Brass interior and exterior handle with BUILT-IN deadbolt security lock.	Overlapping frame extends over door seam to seal out weather and conceal hinges and gaps. Double weatherstripping for superior protection.	Bottom expander adjusts for uneven sills.	1-5/8" thick aluminum frame with maintenance-free finish	Two-color- matched adjustable speed	1
349-52		*	Full-view glass with an interchangeable screen included for ventilation control	Brushed nickel finish interior and exterior handle with BUILT-IN deadbolt security lock.	Overlapping frame extends over door seam to seal out weather and conceal hinges and gaps. Double weatherstripping for superior protection.	Bottom expander adjusts for uneven sills.	1-5/8" thick aluminum frame with maintenance-free finish	Two-color- matched adjustable speed	4
400-17			Adjustable Blinds- Between-the-Glass offers privacy and protection from UV Rays.	Brushed Nickel finish interior and exterior SecureLock handle with built-in keyed security lock system. Patented Design.	Heavy duty weatherstripping	Bottom expander adjusts for uneven sills.	DuraTech® surface over solid wood core for age and weather resistance	Two-color- matched adjustable speed	4
400-07			Adjustable Blinds- Between-the-Glass offers privacy and protection from UV Rays.	Brass finish interior and exterior SecureLock handle with built-in keyed security lock system. Patented Design.	Heavy duty weatherstripping	Bottom expander adjusts for uneven sills.	DuraTech® surface over solid wood core for age and weather resistance	Two-color- matched adjustable speed	4
350-13			Decorative Double Bevel Full-view glass with an interchangeable screen included for ventilation control	Brass finish interior and exterior handle with BUILT-IN deadbolt security lock	Heavy duty weatherstripping	Bottom expander adjusts for uneven sills.	1-1/4" thick aluminum frame with maintenance- free finish	One-color- matched adjustable speed	
		The state of the s			Heavy duty weatherstripping				





Search by keyword

Go

Building Materials

Cabinets

Commercial

Custom Closets

Custom Moulding Profiles

Decking

Do It Yourself

Education

Exterior Doors

Hardware

Interior Doors

Labor Solutions

Millwork

New Home Construction

Remodeling

Stock Trim

Truss Design & Manufacturing

Vendor Websites

Windows


Window & Door Repair

Window & Door Replacement

Wood Specialty Products



Scherer Bros. Tool Box



For more information on shutters please contact your Scherer Bros. sales person or one of our lumberyards.

Exterior Wood Shutters




Features:

- Our four basic styles of shutters include: raised panel, flat panel, false louvered, board and batten
- Additions to our basics styles: radius tops, double panel, cut outs in panels
- Most shutter styles are made from cedar in a rough or smooth finish
- All shutters are made to order. We do not stock shutters

Production Notes:

- · Standard shutter width is 14"
- Shutters can be custom made to any height or width
- A center rail is available on all shutters to line up with the check rail on your window to create a double panel look
- Shutters are ordered in pairs
- All louvered shutters are false
- Specify rough or smooth finish when ordering

Scherer Bros. Shutters Styles



<< Back

Locations:

Arden Hills Lumber Yard & Showroom 4797 Hwy 10 Arden Hills, MN 55112 MAP Shakopee Lumber Yard & Showroom 3253 E. 4th Ave. Shakopee, MN 55379 MAP

Phone: 612-379-9633

CROWN MARZOLF SDL Quote Number: YB5AHSZ Architectural Profile Number:

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUME	BER OF LINES: 1		TOTAL UNIT QTY: 2	EXT NET PRICE:	USD	1,845.28
LINE	MARK UNIT	BRAND	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1		Marvin	Wood Ultimate Double Hung CN 3618 RO 42 3/8" X 45 1/2" Entered as CN 36 X 18	922.64	2	1,845.28

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit:	Net Price:		922.64
Qty: 2	Wark Ont.	Ext. Net Price:	USD	1,845.28
MARVIN-	Primed Pine Exterior	LXt. Wet i fice.	000	20.52
Windows and Coors	Bare Pine Interior			
Built around you.	Wood Ultimate Double Hung			
	CN 3618			
	Rough Opening w/ Subsill			
	42 3/8" X 45 1/2"			435.48
	Top Sash			
	Primed Pine Sash Exterior			
Δ	Bare Pine Sash Interior			
	IG - 1 Lite			
As Viewed From The Exter	LoE 272 w/Argon			
	Stainless Perimeter and Spacer Ba			
Entered As: CN	5/8" SDL - With Spacer Bar - Stainle	SS		
MO 49 1/2" X 49 31/	Meetangalar Special cut 5 W211			122.25
CN 3618 FS 41 3/8" X 45"	Primed Pine Ext - Bare Pine Int			122.36
OC 49" x 49 23/32"	Ovolo Interior Glazing Profile			
RO 42 3/8" X 45 1/2	Bottom Sash			
NO 42 3/6 X 43 1/2	Timed Time Sasir Exterior			
	Bare Pine Sash Interior			
	IG - 1 Lite			
	LoE 272 w/Argon Stainless Perimeter Bar			
	Ovolo Interior Glazing Profile			
	Oil Rubbed Bronze Sash Lock			44.84
	Beige Jamb Hardware			44.04
	Combination			155.04
	Stone White Surround			
	Charcoal Fiberglass Mesh			
	Primed Pine Finish			
	5 5/16" Jambs			15.20
	Primed Pine 4 1/2" 5/4 Flat Casing			101.08
	Primed Pine Simulated Thick Subsill			6.84
	6" Long Sill Horns			21.28
	No Installation Method			

Project Subtotal Net Price: USD 1,845.28

7.625% Sales Tax: USD 140.70

Project Total Net Price: USD 1,985.98