
Legend
Existing Shuttle Route
Proposed Shuttle/Circulator Route
Long Term Shuttle/Circulator Rout
Existing Shuttle Stop
Potential Shuttle Stop
To shuttle lot option at Snelling Ave and Hoyt Ave
Randall Ave
Arlington Ave
Holton St
Huron St
Long Term Shuttle Lot Option 2
Asbury St
Arona St
Simpson St
Pascal St
McKinley St
Albert St
Sheldon St
Hamline Ave
Kaufman Dr
Frankson Ave
Snelling Ave
Bison Ave
Long Term Shuttle Lot Option 3
Lexington Pkwy
Commonwealth Ave
Midway Pkwy
Alternative Route
Nason Pl
Kaufman Dr
Estabrook Dr
Canfield Ave
Optional Extension
Advantages:
• Shuttle access to pavilion
Disadvantages:
• Increase shuttle travel time
Almond Ave
Albany Ave
Oxford St
Horton Ave
Como Ave
Gateway Dr
Como
Metro Transit Connection
Existing Shuttle Lot
Winston St
Breda Ave
Van Slyke Ave
Wynne Ave
Churchill St
Brewster St
Beulah Ln
Jessamine Ave
Argyle St
Long Term Shuttle Lot Option 1
Cushing Cir
To shuttle lot option on Energy Park Drive
Energy Park Dr
Kimley-Horn and Associates, Inc.
Como Park Zoo & Conservatory
Saint Paul
NORTH
0 150 300
HORIZONTAL SCALE IN FEET
Potential Shuttle Improvements