



CITY OF SAINT PAUL  
Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-9007  
Facsimile: 651-266-9124  
Web: [www.stpaul.gov/dsi](http://www.stpaul.gov/dsi)

## Accessible Parking (Signage)



### **1341.0502 A117.1 SECTION 502.7 PARKING SPACES**

Accessible parking spaces shall be identified by signs complying with Minnesota Statutes, section 169.346, and include the International Symbol of Accessibility complying with Section 703.6.3.1. Where all accessible parking spaces do not provide a minimum vertical clearance of 98 inches (2490 mm), signs identifying van parking spaces shall contain the designation "van accessible." Signs shall be centered at the head end of the parking space a maximum of 96 inches (2440 mm) from the head of the parking space, and be mounted 60 inches (1525 mm) minimum and 66 inches (1676 mm) maximum above the floor of the parking space, measured to the bottom of the sign.

**Exception:** Parallel parking spaces shall have a sign located on the side, at the head end of the parking space.


# ACCESSIBLE PARKING SPACES

## Site Plan Review

City of Saint Paul

Accessible parking must comply with the standards of the Americans with Disabilities Act.

Total # of Parking Spaces	# of Required Accessible Spaces
1 to 25	1
26 to 50	2
51 to 75	3
76 to 100	4
101 to 150	5
151 to 200	6
201 to 300	7
301 to 400	8
401 to 500	9
501 to 1000	*
1001 and over	**



- \* 2% of the total parking spaces
- \*\* 20 spaces + 1 for each 100 over 1000

### Size of spaces

Accessible parking spaces must be 8' wide with an access aisle next to it. The access aisle must be 8' wide.

### Location

Accessible spaces must be located as close as possible to accessible building entrances.

### Signage

All accessible parking spaces must be designated with signs displaying the international handicapped symbol. (See the other side of this handout.) Painting a designation on the pavement is not sufficient.

Please call **266-9086** if you have any questions on these requirements.