Be Informed Be Ready **Be Safe**













Emergency Go-Kit on a budget



To begin, conduct a home inventory check. You may be surprised what you already have and didn't even know it. You've got this!



What do YOU need? Do you have pets? Children? Medications or medical devices? Accessibility needs?

- You probably have an extra backpack or bag you aren't using and can repurpose it for your kit. Maybe a child's school
 bag from last year, or extra drawstring bag laying around.
- ✓ You probably already have band-aids, so grab a few. Tylenol, Advil/Motrin, Aleve, etc., grab a couple doses and put
 them in a Ziploc-style baggie or old prescription bottle. <u>Properly label</u> the contents. Prescription Meds? Make sure
 you have a 3-day supply.
- ✓ Every parent knows wipes are the go-to utility tool. Don't have any? Check the travel toiletries aisle.
- ✓ Grab a roll of toilet paper. You probably also have a stack of take-out napkins in your kitchen or car's glove box.
- ✓ Got tampons? Besides their intended use, they also work great for nosebleeds or other heavily bleeding wounds. Think about it, they absorb blood...any blood.
- ✓ Got a flashlight you don't use that often? Grab it, and an extra set of batteries.
- ✓ When you get new shoes, set aside the old ones in your basement or storm shelter in case
 you need to walk over debris. Even one size too small is better than barefoot.
- ✓ Grab a few non-perishable snacks/food items; just make sure they won't melt on you.
- ✓ How many random re-useable water bottles do you have? Set one aside to fill for each person.
- ✓ N95/dust masks. A flood or other disaster could cause damage that leaves mold or other toxic dust.
- ✓ Have a basic set of household tools including screwdrivers, hammer, adjustable wrench, saw, and pliers.
- ✓ The Bag of Bags. We all have that stash of plastic shopping bags, and these can serve a multitude of uses.
- ✓ Scan important documents and photos in your phone and store it in the cloud or on a thumb drive.
- ✓ Pet food, Water bowl, Tov/Treats
- ✓ Baby formula or food. Diapers. Comfort items, toys, blanket, coloring books or activities.



Now, check a dollar store or look for store brand options

- Emergency Poncho (check the camping or travel sections)
- ✓ Ziploc-style bags to keep items dry and clean.
 - ✓ Extra batteries, as needed
- ✓ Whistle If you are trapped and need to signal for help, this cheap item will be the most important item.
- ✓ First Aid kit items
- ✓ Toothbrush/paste, soap, collapsible cup, even tools!

id or on a thumb drive

Other items to consider:

- ✓ External Battery charger (\$20-40)
- ✓ Leather work gloves (approx. \$5-\$15)
- ✓ Duct tape (approx. \$3-\$10)
- ✓ First Alert Tundra fire extinguisher (approx. \$12)
 or other small fire extinguisher
- ✓ First Aid Kit (approx. \$15 60)
- ✓ Folding shovel (approx. \$10, camping section)
- ✓ Multi-Tool (approx. \$10-\$30)
- ✓ Headlamp style light (approx. \$15-\$30)
- √ 550-cord/para-cord, and glo-sticks (chem lights)

It looks like you're trying to build an emergency kit. I can help with that.



Being prepared and having what you might need during an emergency or disaster is not as hard as it may seem. While you can't be ready for every possible situation or long term situations, the act of preparing and thinking about what you might need can make all the difference in how you react and recover.












Prepare Your Pets for Disasters





TWO STEPS TO STAYING ALIVE



Hey Siri, what is a CPR song play list?

Songs that have a tempo matching the compression pace of CPR:


- Stayin' Alive" by The Bee Gees
- "Another One Bites the Dust" by Queen
- Darth Vader March from Star Wars
- "Achy Breaky Heart" by Billy Ray Cyrus
- "Baby Shark" by Pink Fong
- "The Man" by Taylor Swift





Hands-Only CPR

Experts now believe an ADULT who suddenly collapses due to cardiac arrest has enough air in his/her lungs and blood during CPR and doesn't need mouth-to-mouth breathing.



How big is 2 inches?










The National Safety Council online classroom for CPR, AED, First Aid, and other information




Know the signs of heatstroke



Prevention

- If you suspect any signs of heatstroke, call your vet immediately
- Always check sheds, greenhouses or summerhouses for cats before shutting them
- Provide plenty of access to clean, fresh water
- Create shaded areas for your cat to
- 🚜 Try making a cool indoor room

Heimlich Maneuver for Dogs





Cat & Dog First Aid Online Training

CPR Hand Positions

Deep-chested dogs







How to perform CPR on your cat or dog





Psychological First Aid (PFA)

What is Psychological First Aid?



Psychological First Aid (PFA) is an evidenceinformed approach that is built on the concept of human resilience. PFA aims to reduce stress symptoms and assist in a healthy recovery following a traumatic event, natural disaster, public health emergency, or even a personal crisis.



Psychological First Aid for Children

Ensure safety

Keen calm

Connect

Encourage self-efficacy

Have hone



remove the child from an addict expression to the throat of harps



Provide a calm invitational away from stressful altustions of exposure to signifisounds and similisof the traumo exerci-



freez lamilies together and heap children with their parants of attenciose relatives whenever jos-lible



Help families to fabritly their own arenuths and abbition to deci-



Processing the child that their fundings are normal, but aware them that things will be ex-

















Ornaments

Candles

HIDING IN THE HOOD

Warm engines attract cats and small animals. Bang on your



Pet Winter Safety Tips

PAW PATROL

Check regularly and wipe away salt after


















STORM PREP Create disaster kit with food, water and medication that can last 5 days.

SWEATER WEATHER Play dress up with cozy sweaters and coats.

REME HEAT KEEP YOUR PET COOL, WHEN IT'S HOT.

DOG TEMPERATURE



SIGNS OF HEAT STROKE



Heavy panting, difficulty breathing. excessive thirst



Bright red tongue and mucus membranes, which turn grey as shock sets in



Thick saliva, drooling, vomiting, and/or



Unsteadiness and staggering



Lethargy



By the time signs of heat stroke are visible, it's often too late.

DANGERS OF **HEAT STROKE**





suffering





DOGS WHO ARE MORE AT RISK



SHORT NOSED ex.pug, bulldog



HAIRED ex. border collie, lhasa apso



YOUNG & SENIORS ex. puppies, dogs 7+ yrs. old

Pet Friendly Summer Tips



CAR TRAVEL

Never leave your pet alone in a hot car! When traveling, use a secured crate, harness system or pet safety belt.



HYDRATE

Look for signs of overheating like excessive panting, drooling and weakness. Keep plenty of water on hand.



PAW PATROL

Walk your dog during the cooler morning and evening hours. Avoid hot surfaces like pavement and sand.



TOXIC CHEMICALS

Keep pets away from bug spray, insecticides, citronella products and sunscreen.



FLEAS & TICKS

Give your pet proper flea and tick medication, and check them regularly with a flea comb.



STAY INDOORS

During fireworks and thunderstorms, keep pets secure in a safe, quiet area at home.



WATER SAFETY

Never leave pets unattended at the beach, lake or pool. When boating, us a pet life jacket.



STORM PREP

Create a disaster kit with food, water and medication that can last 5 days.

Carbon Monoxide Prevention



You can't see it, taste it or smell it but it can kill quickly and with no warning.

Signs of carbon monoxide poisoning



Neusee

Dizzinese

Breathlessness

Collapse


consciousness



Did you know, as a Saint Paul resident, you may be eligible for FREE smoke alarms, carbon monoxide detectors, and StoveTop Fire Stops from the Saint Paul Fire Department? For more information, call 651-224-7811



















Learn the signs of, and basic treatments for, frostbite and hypothermia.



Frostbite causes loss of feeling and color around the face, fingers and toes.

- Signs: Numbness, white or grayishyellow skin, firm or waxy skin.
- Actions: Go to a warm room. Soak in warm water. Use body heat to warm. Do not massage or use a heating pad.



Hypothermia is an unusually low body temperature. A temperature below 95 degrees is an emergency.

- Signs: Shivering, exhaustion, confusion, fumbling hands, memory loss, slurred speech or drowsiness.
- Actions: Go to a warm room. Warm the center of the body first—chest, neck, head and groin. Keep dry and wrapped up in warm blankets, including the head and neck.





When you go outside in the winter, ALWAYS take your cell phone and even your keys!

If you slip and fall, you'll have a way to call for help. If you get locked out, you'll be able to get back inside during cold temperatures







Saint Paul Public Works Snow Emergency Information



Snow Shoveling Safety Tips

- Give yourself plenty of time to shovel and don't rush yourself.
- Use a couple layers of clothes to keep your muscles warm and flexible.
- > Do warm-up stretching of the arms, shoulders, legs, and back beforehand.
- When you shovel, push the snow straight ahead and walk it to the snowbank. Don't throw it.
- Avoid sudden twisting and turning motions.
- > Bend your knees to lift when shoveling. Let the muscles of your legs and arms do the work, not your back.
- > Take regular rest breaks to alleviate the strain off your muscles.









Battery Pack chargers to selfjump start your car is available, in various sizes, costs, and variations for purchase online or in stores















Power Outages: During and After

LOSED

When the Power Goes Out . . .

Here are basic tips for keeping food safe:

- Keep the refrigerator and freezer doors closed as much as possible to maintain the cold temperature.
 - The refrigerator will keep food cold for about 4 hours if it is unopened.
 - A full freezer will keep the temperature for approximately 48 hours (24 hours if it is half full) if the door remains closed.
 - Buy dry or block ice to keep the refrigerator as cold as possible if the power is going to be out for a prolonged period of time. Fifty pounds of dry ice should hold an 18 cubic foot, fully-stocked freezer cold for two days.
- If you plan to eat refrigerated or frozen meat, poultry, fish or eggs
 while it is still at safe temperatures, it's important that each item is
 thoroughly cooked to its proper temperature to assure that any
 foodborne bacteria that may be present are destroyed. However, if
 at any point the food was above 40 °F for 2 hours or more —
 discard it.
- Wash fruits and vegetables with water from a safe source before eating.
- For infants, try to use prepared, canned baby formula that requires no added water. When using concentrated or powdered formulas, prepare with bottled water if the local water source is potentially contaminated.

Once Power Is Restored .

You'll need to determine the safety of your food. Here's how:

- If an appliance thermometer was kept in the freezer, check the temperature when the power comes back on. If the freezer thermometer reads 40 °F or below, the food is safe and may be refrozen.
- If a thermometer has not been kept in the freezer, check each package of food to determine its safety. You can't rely on appearance or odor. If the food still contains ice crystals or is 40 °F or below, it is safe to refreeze or cook.
- Refrigerated food should be safe as long as the power was out for no more than 4 hours and the refrigerator door was kept shut. Discard any perishable food (such as meat, poultry, fish, eggs or leftovers) that has been above 40 °F for two hours or more.

Keep in mind that perishable food such as meat, poultry, seafood, milk, and eggs that are **not kept adequately refrigerated or frozen** may cause illness if consumed, even when they are thoroughly cooked.

Be Prepared for Emergencies

- Make sure you have appliance thermometers in your refrigerator and freezer.
- Check to ensure that the freezer temperature is at or below 0 °F, and the refrigerator is at or below 40 °F.
- In case of a power outage, the appliance thermometers will indicate the temperatures in the refrigerator and freezer to help you determine if the food is safe.
- 2. Freeze containers of water for ice to help keep food cold in the freezer, refrigerator, or coolers in case the power goes out. If your normal water supply is contaminated or unavailable, the melting ice will also supply drinking water.
- 3. Freeze refrigerated items such as leftovers, milk, and fresh meat and poultry that you may not need immediately. This helps keep them at a safe temperature longer.

- Group food together in the freezer. This helps the food stay cold longer.
- Have coolers on hand to keep refrigerated food cold if the power will be out for more than 4 hours.
- 6. Purchase or make ice cubes in advance and store in the freezer for use in the refrigerator or in a cooler. Freeze gel packs ahead of time for use in coolers.
- Check out local sources to know where dry ice and block ice can be purchased, just in case.
- Store food on shelves that will be safely out of the way of contaminated water in case of flooding.
- Make sure to have a supply of bottled water stored where it will be as safe as possible from flooding.





FOOD SAFETY BEFORE, DURING AND AFTER A POWER OUTAGE

Know how to keep food safe before during and after emergencies. Hurricanes, tornadoes, winter weather and other events may cause power outages. Follow these tips to help minimize food loss and reduce your risk of foodborne illness.





Fill a mug or plastic storage container with water and freeze it. After it is frozen, place a quarter on top. If the power goes out, you can tell if the food is still frozen and the quarter is on top, or if the quarter sank, meaning food has thawed and is unsafe to eat.





Disaster Safety for People with Disabilities





















Preparedness Information in Your Language





City of Saint Paul Multi-Lingual Snow Emergency Information







Ready in Your Language